

Package: icarus (via r-universe)

May 22, 2026

Title Calibrates and Reweights Units in Samples

Description Provides user-friendly tools for calibration in survey sampling. The package is production-oriented, and its interface is inspired by the famous popular macro 'Calmar' for SAS, so that 'Calmar' users can quickly get used to 'icarus'. In addition to calibration (with linear, raking and logit methods), 'icarus' features functions for calibration on tight bounds and penalized calibration.

Version 0.3.3

Maintainer Khaled Larbi <khaled.larbi@insee.fr>

Depends R (>= 3.1.1)

License GPL-3

LazyData true

Suggests testthat, ggplot2, Rglpk, slam, xtable, magrittr

RoxygenNote 7.2.3

Encoding UTF-8

Repository <https://khaledlarbi.r-universe.dev>

Date/Publication 2025-09-05 13:43:17 UTC

RemoteUrl <https://github.com/khaledlarbi/icarus>

RemoteRef HEAD

RemoteSha bc46716d34482e1cb84e083593c3b7d8aa951770

Contents

addMargin	2
calibration	3
calibrationMarginStats	5
calWeights_movies	6
colToDummies	7
data_employees	7
dataPop	8

HTmean	9
HTtotal	9
marginStats	10
newMarginMatrix	11
poptest_calmar	11
poptest_calmar_nr	12
regroupCalibrationModalities	13
regroupModalities	14
table_margins_1	15
table_margins_2	15
weightedMean	16
weightedTotal	16

Index	18
--------------	-----------

addMargin	<i>Adds a margin to marginMatrix</i>
-----------	--------------------------------------

Description

Adds a margin to marginMatrix

Usage

```
addMargin(
  marginMatrix,
  varName,
  vecTotals,
  adjustToOne = TRUE,
  thresholdAdjustToOne = 0.01
)
```

Arguments

marginMatrix	The matrix of margins to add the new margin to
varName	Name of variable in calibration matrix corresponding to the new margin
vecTotals	values of margins (Calmar style) for the variable. Note : if length(vecTotals) > 1, then sum(thresholdAdjustToOne) has to be 1.
adjustToOne	if TRUE and sum(vecTotals) is nearly 1, modify values of vecTotals so that sum is 1.
thresholdAdjustToOne	adjust sum(vecTotals) to 1 if difference is under thresholdAdjustToOne

calibration	<i>Calibration on margins</i>
-------------	-------------------------------

Description

Performs calibration on margins with several methods and customizable parameters

Usage

```
calibration(
  data,
  marginMatrix,
  colWeights,
  method = "linear",
  bounds = NULL,
  q = NULL,
  costs = NULL,
  gap = NULL,
  popTotal = NULL,
  pct = FALSE,
  scale = NULL,
  description = TRUE,
  maxIter = 2500,
  check = TRUE,
  calibTolerance = 1e-06,
  uCostPenalized = 1,
  lambda = NULL,
  precisionBounds = 1e-04,
  forceSimplex = FALSE,
  forceBisection = FALSE,
  colCalibratedWeights,
  exportDistributionImage = NULL,
  exportDistributionTable = NULL
)
```

Arguments

data	The dataframe containing the survey data
marginMatrix	The matrix giving the margins for each column variable included in the calibration problem
colWeights	The name of the column containing the initial weights in the survey dataframe
method	The method used to calibrate. Can be "linear", "raking", "logit"
bounds	Two-element vector containing the lower and upper bounds for bounded methods ("logit")
q	Vector of q_k weights described in Deville and Sarndal (1992)

costs	The penalized calibration method will be used, using costs defined by this vector. Must match the number of rows of marginMatrix. Negative or non-finite costs are given an infinite cost (coefficient of C^{-1} matrix is 0)
gap	Only useful for penalized calibration. Sets the maximum gap between max and min calibrated weights / initial weights ratio (and thus is similar to the "bounds" parameter used in regular calibration)
popTotal	Precise the total population if margins are defined by relative value in marginMatrix (percentages)
pct	If TRUE, margins for categorical variables are considered to be entered as percentages. popTotal must then be set. (FALSE by default)
scale	If TRUE, stats (including bounds) on ratio calibrated weights / initial weights are done on a vector multiplied by the weighted non-response ratio (ratio population total / total of initial weights). Has same behavior as "ECHELLE=0" in Calmar.
description	If TRUE, output stats about the calibration process as well as the graph of the density of the ratio calibrated weights / initial weights
maxIter	The maximum number of iterations before stopping
check	performs a few check about the dataframe. TRUE by default
calibTolerance	Tolerance for the distance to an exact solution. Could be useful when there is a huge number of margins as the risk of inadvertently setting incompatible constraints is higher. Set to 1e-06 by default.
uCostPenalized	Unary cost by which every cost is "costs" column is multiplied
lambda	The initial ridge lambda used in penalized calibration. By default, the initial lambda is automatically chosen by the algorithm, but you can speed up the search for the optimum if you already know a lambda close to the lambda_opt corresponding to the gap you set. Be careful, the search zone is reduced when a lambda is set by the user, so the program may not converge if the lambda set is too far from the lambda_opt.
precisionBounds	Only used for calibration on minimum bounds. Desired precision for lower and upper reweighting factor, both bounds being as close to 1 as possible
forceSimplex	Only used for calibration on tight bounds. Bisection algorithm is used for matrices whose size exceed 1e8. forceSimplex = TRUE forces the use of the simplex algorithm whatever the size of the problem (you might want to set this parameter to TRUE if you have a large memory size)
forceBisection	Only used for calibration on tight bounds. Forces the use of the bisection algorithm to solve calibration on tight bounds
colCalibratedWeights	Deprecated. Only used in the scope of calibration function
exportDistributionImage	File name to which the density plot shown when description is TRUE is exported. Requires package "ggplot2"
exportDistributionTable	File name to which the distribution table of before/after weights shown when description is TRUE is exported. Requires package "xtable"

Value

column containing the final calibrated weights

References

Deville, Jean-Claude, and Carl-Erik Sarndal. "Calibration estimators in survey sampling." *Journal of the American statistical Association* 87.418 (1992): 376-382.

Bocci, J., and C. Beaumont. "Another look at ridge calibration." *Metron* 66.1 (2008): 5-20.

Vanderhoeft, Camille. *Generalised calibration at statistics Belgium: SPSS Module G-CALIB-S and current practices*. Inst. National de Statistique, 2001.

Le Guennec, Josiane, and Olivier Sautory. "Calmar 2: Une nouvelle version de la macro calmar de redressement d'échantillon par calage." *Journées de Methodologie Statistique*, Paris. INSEE (2002).

Examples

```
N <- 300 ## population total
## Horvitz Thompson estimator of the mean: 1.666667
weightedMean(data_employees$movies, data_employees$weight, N)
## Enter calibration margins:
mar1 <- c("category", 3, 80, 90, 60)
mar2 <- c("sex", 2, 140, 90, 0)
mar3 <- c("department", 2, 100, 130, 0)
mar4 <- c("salary", 0, 470000, 0, 0)
margins <- rbind(mar1, mar2, mar3, mar4)
## Compute calibrated weights with raking ratio method
wCal <- calibration(data=data_employees, marginMatrix=margins, colWeights="weight"
, method="raking", description=FALSE)
## Calibrated estimate: 2.471917
weightedMean(data_employees$movies, wCal, N)
```

calibrationMarginStats

Stats for initial weights, calibrated weights, and margins.

Description

Gives stats about the calibration process: differences between totals after/before calibration and margins. Totals for categorical variables are displayed in percentages. (same as first panels output in Calmar/Calmar 2) Output is a list, which might not be convenient for exports (e.g. for integration into a scientific report). In such cases, use function `marginStats`, which outputs a dataframe.

Usage

```
calibrationMarginStats(
  data,
  marginMatrix,
  popTotal = NULL,
  pct = FALSE,
  colWeights,
  colCalibratedWeights = NULL,
  calibThreshold = 1
)
```

Arguments

data	dataframe containing the survey data
marginMatrix	matrix of margins
popTotal	total of population, useful if margins are entered in relative value
pct	Set this to true if margins for categorical variables are written in percentages
colWeights	name of weights column in the dataframe
colCalibratedWeights	name of calibrated weights column in the dataframe (if applicable)
calibThreshold	If difference between calibration estimate and margin differ more than this parameter, calibration is considered to have failed

Value

List containing stats on weights and margins

See Also

[marginStats](#)

calWeights_movies	<i>Calibration weights for data_employees</i>
-------------------	---

Description

Calibration weights computed with Calmar2 for the small example [data_employees](#).

Usage

```
calWeights_movies
```

Format

1 column "id", unique id for each of the 15 units in sample. 3 columns with calibration weights using 3 different methods (linear, raking, and logit with bounds LO=0.4, UP=2.2)

Author(s)

Antoine Rebecq

colToDummies	<i>Changes a column containing multiple values to a matrix of columns containing the dummies corresponding to each value.</i>
--------------	---

Description

Changes a column containing multiple values to a matrix of columns containing the dummies corresponding to each value.

Usage

```
colToDummies(col, nameCol, modalities = NULL, keepValue = FALSE)
```

Arguments

col	input column
nameCol	name that will be used as a prefix for dummies column name in the output matrix
modalities	if a vector is entered, dummies produced will only be the ones corresponding to the values in the "modalities" input column + another one containing all the other modalities.
keepValue	Logical. If TRUE, puts not "1"s in the dummies output columns but the real values in the "col" column (except if values are non-numeric)

Value

Matrix containing the dummy columns

data_employees	<i>A small example sample for calibration with Icarus</i>
----------------	---

Description

This table features a samples of 15 units (drawn from a population of size 300), used in a small survey to determine how frequently the employees of a firm go the movies (column "cinema"). Some auxiliary variables are given, which allows the use of calibration to improve estimates. Margins for these auxiliary variables are known: categ: 80 (modality 1) ; 90 (modality 2) ; 60 (modality 3) sexe: 140 (modality 1) ; 90 (modality 2) service: 100 (modality 1) ; 130 (modality 2) salaire : 470000

Usage

```
data_employees
```

Format

15 rows, one per unit in sample. 1 column "id", unique id for each unit. 4 columns of auxiliary variables ("service", "categ", "sexe", "salaire"). 1 column "cinema" - the variable of interest 1 column "weight" - the Horvitz-Thompson weights

Author(s)

Antoine Rebecq

dataPop

Test population for Icarus.

Description

This data set features a generated population of 50000 units. 11 characteristics of interest for all units in population are featured. These characteristics of interest are variously correlated to one another. A stratified random sampling (with a proportional allocation on variable Y3) of fixed size 1000 is selected. Among the 1000 units in the selected sample, only 718 are respondant to the survey. These responding units are selected using a dummy logit model.

Usage

dataPop

Format

1 column "ident" with unique id for all units. 11 columns with various characteristics of interest for units in the population. 1 column "weight", with sampling weights . Weights equal to zero means that the unit is not selected in the sample. 1 column "simul_nr" indicates the probability that each unit will respond to the survey. 1 column "responding". For sampled units, indicates whether unit is respondant to survey (1) or not (0). Variable is also equal to 0 for units not selected in sample 1 column "qTest" containing randomly generated q weights used in unit tests 50000 rows, 1 row per unit in the population.

Author(s)

Antoine Rebecq

References

Rebecq, A., & Merly-Alpa, T. Pourquoi minimiser la dispersion des poids en sondage. preprint.

HTmean	<i>Weighted estimator for the mean</i>
--------	--

Description

Computes the weighted estimator for the mean of a column. Alias for [weightedMean](#)

Usage

```
HTmean(var, weights, popTot = NULL)
```

Arguments

var	column of variable of interest
weights	column of weights matching the variable of interest
popTot	population size, used in Horvitz-Thompson-like estimation. If no value is given for popTot, default value is the sum of weights. In the context of survey sampling, this is equivalent to using an Hajek estimate.

Value

Estimated mean

See Also

[weightedMean](#)

HTtotal	<i>Weighted estimator for total</i>
---------	-------------------------------------

Description

Computes the weighted estimator for the total of a column. Alias for [weightedTotal](#)

Usage

```
HTtotal(var, weights)
```

Arguments

var	column of variable of interest
weights	column of weights matching the variable of interest

Value

Estimated total

See Also

[weightedTotal](#)

marginStats	<i>Stats for initial weights, calibrated weights, and margins.</i>
-------------	--

Description

Just like [calibrationMarginStats](#), gives stats about the calibration process: differences between totals after/before calibration and margins. Totals for categorical variables are displayed in percentages. The last column, named "difference", shows the difference (in percentage points) between initial estimates and margins (if colCalibratedWeights is NULL) or between calibrated estimates and margins (if colCalibratedWeights is not NULL). Output is a dataframe, which might be more convenient to export than a list (e.g. for integration into reports).

Usage

```
marginStats(
  data,
  marginMatrix,
  pct = FALSE,
  popTotal = NULL,
  colWeights,
  colCalibratedWeights = NULL,
  calibThreshold = 1
)
```

Arguments

data	dataframe containing the survey data
marginMatrix	matrix of margins
pct	Set this to true if margins for categorical variables are written in percentages
popTotal	total of population, useful if margins are entered in relative value
colWeights	name of weights column in the dataframe
colCalibratedWeights	name of calibrated weights column in the dataframe (if applicable)
calibThreshold	If difference between calibration estimate and margin differ more than this parameter, calibration is considered to have failed

Value

Dataframe containing stats on weights and margins

See Also

[calibrationMarginStats](#)

newMarginMatrix	<i>Create empty margin matrix</i>
-----------------	-----------------------------------

Description

Use this to create an empty margin matrix (which facilitates the use of magrittr syntax to enter margins)

Usage

```
newMarginMatrix()
```

Examples

```
library(magrittr)
N <- 230 ## population total
## Horvitz Thompson estimator of the mean: 2.174
weightedMean(data_employees$movies, data_employees$weight, N)
## Enter calibration margins:
margins <- newMarginMatrix() %>%
  addMargin("category", c(0.35, 0.40, 0.25)) %>%
  addMargin("sex", c(0.6, 0.4)) %>%
  addMargin("department", c(0.45, 0.55)) %>%
  addMargin("salary", 470000)
## Compute calibrated weights with raking ratio method
wCal <- calibration(data=data_employees, marginMatrix=margins, colWeights="weight"
  , method="raking", pct = TRUE, description=FALSE
  , popTotal = N)
## Calibrated estimate: 2.471917
weightedMean(data_employees$movies, wCal, N)
```

poptest_calmar	<i>Calibration on population test - made on Calmar2</i>
----------------	---

Description

This data set features calibration weights for the sample test of [dataPop](#) (using margins tables [table_margins_1](#) and [table_margins_2](#)). Calibration is computed using the SAS Macro Calmar2, for test purposes.

Usage

```
poptest_calmar
```

Format

1000 rows, one per unit in the sample. 1 column "ident", with a unique id for every unit in the sample
3 methods of calibration are used (linear, raking, and logit with bounds LO=0.2 and UP=1.3) for two different margins tables [table_margins_1](#) and [table_margins_2](#), which results in 7 columns of weights.

Author(s)

Antoine Rebecq

References

Le Guennec, J., and Sautory, O. (2002). Calmar 2: Une nouvelle version de la macro calmar de redressement d'échantillon par calage. Journées de Methodologie Statistique, Paris. INSEE.

poptest_calmar_nr

Calibration with nonresponse on population test - made on Calmar2

Description

This data set features calibration weights for the sample test of [dataPop](#) (using margins tables [table_margins_1](#) and [table_margins_2](#)). Calibration is computed using the SAS Macro Calmar2, for test purposes. Only the 718 responding units are taken into account.

Usage

poptest_calmar_nr

Format

718 rows, one per unit in the sample. 1 column "ident", with a unique id for every unit in the sample
3 methods of calibration are used (linear, raking, and logit with bounds LO=0.1 and UP=2.0 and parameter ECHELLE=0) for two different margins tables [table_margins_1](#) and [table_margins_2](#), which results in 7 columns of weights.

Author(s)

Antoine Rebecq

References

Le Guennec, J., and Sautory, O. (2002). Calmar 2: Une nouvelle version de la macro calmar de redressement d'échantillon par calage. Journées de Methodologie Statistique, Paris. INSEE.

```
regroupCalibrationModalities
      Regroup calibration modalities
```

Description

Beware, this function modifies the calibrationMatrix and marginMatrix objects entered in parameter? Regroups modalities entered in "vecModalities" into single "newModality" in "calibrationMatrix" and adapts "marginMatrix" to the new concept. Typical usage is right before a calibration (and after computation of marginMatrix), when you realise calibration output is better when several modalities are reduced to one. (typically very rare modalities, on which calibration constraints are very restrictive). Uses pseudo-"call by reference" via eval.parent because 2 objects are modified : calibrationMatrix and marginMatrix

Usage

```
regroupCalibrationModalities(
  calibrationMatrix,
  marginMatrix,
  calibrationVariable,
  vecModalities,
  newModality
)
```

Arguments

```
calibrationMatrix      calibration matrix
marginMatrix           matrix containing the margins to the Icarus format
calibrationVariable    name of the calibration variable for which regroupment has to be done
vecModalities          Initial modalities of the variable
newModality            Regrouped modalities of the variable
```

Examples

```
## Not run:
## Suppose we have a calibration matrix and a margin matrix containing information
## for two categorical variables "X1" (10 modalities) and "X2" (5 modalities)

matrixCal <- data.frame(matrix(
  c(floor(10*runif(100))+1, floor((5)*runif(100))+1,
    floor(10*runif(100))+1, rep(10,100)),
  ncol=4))
marginMatrix <- matrix(c("X1",10,rep(1/10,10),
  "X2",5,rep(1/5,5),rep(0,5)), nrow=2, byrow=TRUE)
```

```

# table(matrixCal$X1)
# 1 2 3 4 5 6 7 8 9 10
# 9 8 8 8 11 15 13 6 10 12
# marginMatrix
# [,1] [,2] [,3] [,4] [,5] [,6] [,7] [,8] [,9] [,10] [,11] [,12]
# [1,] "X1" "10" "0.1" "0.1" "0.1" "0.1" "0.1" "0.1" "0.1" "0.1" "0.1" "0.1"
# [2,] "X2" "5" "0.2" "0.2" "0.2" "0.2" "0.2" "0" "0" "0" "0" "0"

regroupCalibrationModalities(matrixCal, marginMatrix, "X1", c(3,4,8), "0")

# table(matrixCal$X1)
# 0 1 2 5 6 7 9 10
# 22 9 8 11 15 13 10 12
# marginMatrix
# [,1] [,2] [,3] [,4] [,5] [,6] [,7] [,8] [,9] [,10]
# [1,] "X1" "8" "0.3" "0.1" "0.1" "0.1" "0.1" "0.1" "0.1" "0.1" "0.1"
# [2,] "X2" "5" "0.2" "0.2" "0.2" "0.2" "0.2" "0" "0" "0" "0"

## End(Not run)

```

regroupModalities *Regroup elements of a vector*

Description

Regroup the contiguous elements of a vector under a single value. Which elements should be regrouped is indicated by the rows of a matrix. Output vector is NOT a factor.

Usage

```
regroupModalities(column, regroupMatrix, modalities = NULL)
```

Arguments

column	Column vector which values are going to be replaced
regroupMatrix	Bounds of the values to regroup under the same modality
modalities	Specify the values of the modalities to use. Must match number of rows of regroupMatrix If not specified, replacement modalities will be 1:length(column)

Value

Column vector with regrouped modalities

Examples

```

regroupModalities(c(1:20), rbind(c(0,5),c(6,18),c(19,Inf)))
# Returns : [1] 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3

```

table_margins_1	<i>Margins for calibration of test population</i>
-----------------	---

Description

This table features calibration margins for the sample of the test population of [dataPop](#)

Usage

table_margins_1

Format

A margins table written in the Icarus format.

Author(s)

Antoine Rebecq

table_margins_2	<i>Margins for calibration of test population</i>
-----------------	---

Description

This table features calibration margins for the sample of the test population of [dataPop](#). Margins for categorical variables are entered in percentages.

Usage

table_margins_2

Format

A margins table written in the Icarus format.

Author(s)

Antoine Rebecq

weightedMean	<i>Weighted estimator for the mean</i>
--------------	--

Description

Computes the weighted estimator for the mean of a column

Usage

```
weightedMean(var, weights, popTot = NULL)
```

Arguments

var	column of variable of interest
weights	column of weights matching the variable of interest
popTot	population size, used in Horvitz-Thompson-like estimation. If no value is given for popTot, default value is the sum of weights. In the context of survey sampling, this is equivalent to using an Hajek estimate.

Value

Estimated mean

See Also

[HTmean](#)

weightedTotal	<i>Weighted estimator for total</i>
---------------	-------------------------------------

Description

Computes the weighted estimator for the total of a column

Usage

```
weightedTotal(var, weights)
```

Arguments

var	column of variable of interest
weights	column of weights matching the variable of interest

Value

Estimated total

weightedTotal

17

See Also

[HTtotal](#)

Index

`addMargin`, 2

`calibration`, 3

`calibrationMarginStats`, 5, 10

`calWeights_movies`, 6

`colToDummies`, 7

`data_employees`, 6, 7

`dataPop`, 8, 11, 12, 15

`HTmean`, 9, 16

`HTtotal`, 9, 17

`marginStats`, 5, 6, 10

`newMarginMatrix`, 11

`popstest_calmar`, 11

`popstest_calmar_nr`, 12

`regroupCalibrationModalities`, 13

`regroupModalities`, 14

`table_margins_1`, 11, 12, 15

`table_margins_2`, 11, 12, 15

`weightedMean`, 9, 16

`weightedTotal`, 9, 10, 16